

AD-A066 120

ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND ABERD--ETC F/G 19/4
A GENERALIZED METHOD FOR COMPUTING THE PROBABILITY OF KILLING X--ETC(U)
JAN 79 M B DANISH, J T HUNDLEY

UNCLASSIFIED

ARBRL-MR-02890

SBIE-AD-E430 192

NL

1 OF 2

AD
A066120



CONT

A066120



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

(12) LEVEL III

AD-E430192

MEMORANDUM REPORT ARBRL-MR-02890


**A GENERALIZED METHOD FOR COMPUTING THE
PROBABILITY OF KILLING X TARGETS
OUT OF N TARGETS**

AD A066120

DDC FILE COPY

**Michael B. Danish
John T. Hundley**

January 1979



**US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND
BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND**

Approved for public release; distribution unlimited.

79 02 26 226

Destroy this report when it is no longer needed.
Do not return it to the originator.

Secondary distribution of this report by originating
or sponsoring activity is prohibited.

Additional copies of this report may be obtained
from the National Technical Information Service,
U.S. Department of Commerce, Springfield, Virginia
22161.

The findings in this report are not to be construed as
an official Department of the Army position, unless
so designated by other authorized documents.

*The use of trade names or manufacturers' names in this report
does not constitute indorsement of any commercial product.*

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER MEMORANDUM REPORT ARBRL-MR-02890	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A Generalized Method for Computing the Probability of Killing X Targets out of N Targets.	5. TYPE OF REPORT & PERIOD COVERED Final rept.	
7. AUTHOR(s) Michael B. Danish John T. Hundley	6. PERFORMING ORG. REPORT NUMBER	
9. PERFORMING ORGANIZATION NAME AND ADDRESS U.S. Army Ballistic Research Laboratory (Attn: DRDAR-BLV) Aberdeen Proving Ground, MD 21005	8. CONTRACT OR GRANT NUMBER(s)	
11. CONTROLLING OFFICE NAME AND ADDRESS U.S. Army Armament Research & Development Command U.S. Army Ballistic Research Laboratory (Attn: DRDAR-BL) Aberdeen Proving Ground, MD 21005	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 12 25p.	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) SBIE AD-E430 192	12. REPORT DATE JAN 1979	
	13. NUMBER OF PAGES 28	
	15. SECURITY CLASS. (of this report) UNCLASSIFIED	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Probability Kill Probability Computer Codes Weapon Effects Target Vulnerability		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A general equation for computing the probability of X successes out of N trials with unequal or equal individual probabilities is presented. Computer codes for performing the calculations are also presented in both FORTRAN and BASIC languages.		

DDC

MAR 22 1979

B

79 02 26 226

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED 392471
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

TABLE OF CONTENTS

I. INTRODUCTION	5
II. PROCEDURE	5
III. CONCLUSIONS	11
IV. ACKNOWLEDGEMENT	11
APPENDIX A - FORTRAN Code Listing	13
APPENDIX B - BASIC Code Listing	19
DISTRIBUTION LIST	23

ACCESSION for	
NTIS	Whole Section <input checked="" type="checkbox"/>
DDC	Diff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION _____	
BY _____	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. and/or SPECIAL
A	

I. INTRODUCTION

In the process of conducting live firings of missiles equipped with warheads containing numerous bomblets, a problem arose pertaining to the evaluation of the effectiveness of the bomblets against various targets. The targets included personnel simulators and surface-to-air missiles.

Briefly, it was necessary to determine the probability of kill (P_k) of a group of target items when some or all of them were damaged to unequal levels of kill. In essence, it was required to compute the probability of achieving exactly and/or at least X kills (successes) out of a sample of N trials when the individual P_k values were not necessarily equal.

II. PROCEDURE

Standard textbook methods¹ use the following equation for computing the probability of X successes out of N trials when the probability of success p , is constant from trial to trial and the N trials are independent:

$$\begin{aligned} P(X;N,p) &= \binom{N}{X} p^X (1-p)^{N-X} \\ &= \binom{N}{X} p^X q^{N-X} \end{aligned} \quad (1)$$

where $X = 0, 1, 2 \dots N$,

$$\binom{N}{X} = \frac{N!}{X! (N-X)!}$$

and $q = 1 - p$.

However, in the case under consideration here, the values for p are not necessarily equal and Eq. (1) cannot be used to compute the probability of exactly X successes out of N trials, $P(X;N,p_i)$ which, for the sake of simplicity, we will express as $P\left(\begin{smallmatrix} N \\ X \end{smallmatrix}\right)$ throughout the

¹ Freund, J.E., "Mathematical Statistics", Englewood Cliffs, NJ: Prentice-Hall, 1962

remainder of this report. Instead, consider the following expression which can be used to determine $P\binom{N}{X}$ for unequal (or equal, for the trivial case) probability values, p_i :

$$P\binom{N}{X} = \sum_{j=1}^{2^N} \beta_j \prod_{i=1}^N p_i^{\delta_{i,j}} q_i^{1-\delta_{i,j}} \quad (2)$$

where the $\delta_{i,j}$'s are chosen to equal 0 or 1 to satisfy Eq. (3) for each j ,

$$j-1 = \sum_{i=1}^N \delta_{i,j} 2^{i-1} \quad (3)$$

and β_j is defined as

$$\beta_j = 1 \quad \text{iff} \quad \sum_{i=1}^N \delta_{i,j} = X \quad (4)$$

$= 0, \text{ otherwise.}$

As a simple example, consider the case of determining the probability of at least 1 success out of 3 events and exactly 1, exactly 2, and exactly 3 successes out of 3 events. Using Eq. (3) and Eq. (4) where $j = 1$ to 2^3 and $N = 3$, the $\delta_{i,j}$'s and β_j 's are determined as follows:

For $j = 1$,

$$j-1 = \sum_{i=1}^3 \delta_{i,j} 2^{i-1}$$

$$0 = \delta_{1,1} 2^0 + \delta_{2,1} 2^1 + \delta_{3,1} 2^2$$

In order for the above equation to be valid, $\delta_{1,1}$ must equal 0,

$\delta_{2,1}$ must equal 0, and $\delta_{3,1}$ must equal 0, and therefore the

$$\sum_{i=1}^3 \delta_{i,j} = 0. \text{ Consequently using Eq. (4), for } X = 1, \beta_1 \text{ must}$$

equal 0, for $X = 2, \beta_1$ must equal 0 and for $X = 3, \beta_1$ must equal 0.

For $j = 2$,

$$j-1 = \sum_{i=1}^3 \delta_{i,j} 2^{i-1}$$

$$1 = \delta_{1,2} 2^0 + \delta_{2,2} 2^1 + \delta_{3,2} 2^2$$

Similarly, for the above equation to be valid, $\delta_{1,2}$ must equal 1,

$$\delta_{2,2} \text{ must equal 0 and } \delta_{3,2} \text{ must equal 0, and therefore } \sum_{i=1}^3 \delta_{i,j} = 1.$$

Again, using Eq. (4) for $X = 1, \beta_2$ must equal 1, for $X = 2, \beta_2$ must equal 0 and for $X = 3, \beta_2$ must equal 0.

.

.

.

For $j = 8$,

$$j-1 = \sum_{i=1}^3 \delta_{i,j} 2^{i-1}$$

$$7 = \delta_{1,8} 2^0 + \delta_{2,8} 2^1 + \delta_{3,8} 2^2$$

Finally, for the above equation to be valid, $\delta_{1,8}$ must equal 1,

$\delta_{2,8}$ must equal 1 and $\delta_{3,8}$ must equal 1, and therefore the

$$\sum_{i=1}^3 \delta_{i,j} = 3. \text{ Using Eq. (4), for } X = 1, \beta_8 \text{ must equal 0, for } X = 2,$$

β_8 must equal 0 and for $X = 3$, β_8 must equal 1. The formation of the $\delta_{i,j}$'s from Eq. (3) and the β_j 's from Eq. (4) for the preceding example in which $N = 3$, can be summarized as follows:

j	$\delta_{1,j}$	$\delta_{2,j}$	$\delta_{3,j}$	$\sum_{i=1}^3 \delta_{i,j}$	β_j X=1	β_j X=2	β_j X=3
1	0	0	0	0	0	0	0
2	1	0	0	1	1	0	0
3	0	1	0	1	1	0	0
4	1	1	0	2	0	1	0
5	0	0	1	1	1	0	0
6	1	0	1	2	0	1	0
7	0	1	1	2	0	1	0
8	1	1	1	3	0	0	1

These tabular values may now be applied to Eq. (2) in which case the probability of exactly 1 success out of 3 events is expressed as:

$$P\binom{3}{1} = \beta_1 * (p_1^0 p_2^0 p_3^0 q_1^1 q_2^1 q_3^1) + \beta_2 * (p_1^1 p_2^0 p_3^0 q_1^0 q_2^1 q_3^1) + \beta_3 * (p_1^0 p_2^1 p_3^0 q_1^1 q_2^0 q_3^1) \\ + \beta_4 * (p_1^1 p_2^1 p_3^0 q_1^0 q_2^0 q_3^1) + \beta_5 * (p_1^0 p_2^0 p_3^1 q_1^1 q_2^1 q_3^0) + \beta_6 * (p_1^1 p_2^0 p_3^1 q_1^0 q_2^1 q_3^0) \\ + \beta_7 * (p_1^0 p_2^1 p_3^1 q_1^1 q_2^0 q_3^0) + \beta_8 * (p_1^1 p_2^1 p_3^1 q_1^0 q_2^0 q_3^0)$$

Since $\beta_1, \beta_4, \beta_6, \beta_7, \beta_8 = 0$ and $\beta_2, \beta_3, \beta_5 = 1$, the above equation

reduces to:

$$P\binom{3}{1} = p_1^1 p_2^0 p_3^0 q_1^0 q_2^1 q_3^1 + p_1^0 p_2^1 p_3^0 q_1^1 q_2^0 q_3^1 + p_1^0 p_2^0 p_3^1 q_1^1 q_2^1 q_3^0 \\ = p_1 q_2 q_3 + p_2 q_1 q_3 + p_3 q_1 q_2$$

Similarly,

$$P\binom{3}{2} = p_1 p_2 q_3 + p_1 p_3 q_2 + p_2 p_3 q_1$$

and

$$P\binom{3}{3} = p_1 p_2 p_3$$

Thus, the probability of at least 1 success out of 3 events is computed by

$$P\binom{3}{1} + P\binom{3}{2} + P\binom{3}{3} \\ = p_1 q_2 q_3 + p_2 q_1 q_3 + p_3 q_1 q_2 + p_1 p_2 q_3 + p_1 p_3 q_2 + p_2 p_3 q_1 + p_1 p_2 p_3$$

In instances in which only the at least case is required, the solution can be determined with the formation of fewer products, thus reducing the number of computations. This procedure can be utilized by taking advantage of complementary logic.

$$\text{Since } \sum_{i=0}^N P\binom{N}{i} = 1, \\ \text{then } \sum_{j=0}^{X-1} P\binom{N}{j} + \sum_{i=X}^N P\binom{N}{i} = 1; \\ \text{Hence } \sum_{i=X}^N P\binom{N}{i} = 1 - \sum_{j=0}^{X-1} P\binom{N}{j}$$

Thus, $P\binom{N}{X}$ can be expressed as

$$P\binom{N}{X} = \sum_{i=X}^N P\binom{N}{i} \quad (5)$$

or

$$P\binom{N}{X} = 1 - \sum_{j=0}^{X-1} P\binom{N}{j} \quad (6)$$

It follows that when $X < \frac{N}{2}$, then Eq. (6) should be used to compute the solution. In the preceding case for $N = 3$ and $X = 1$, if the only requirement had been the at least case, then the solution would be obtained using Eq. (6). Thus,

$$\begin{aligned} \sum_{i=1}^3 P\binom{3}{i} &= 1 - P\binom{3}{0} \\ &= 1 - q_1 q_2 q_3 . \end{aligned}$$

The above procedure requires only 1 product combination rather than the previously computed 7 combinations. The choice of using Eq. (5) or Eq. (6) can best be illustrated by a more realistic example in which case $N = 18$ and $X = 9$. If Eq. (5) were to be used,

then $\sum_{j=9}^{18} \binom{18}{j} = 155,382$ combinations would be required whereas the choice of Eq. (6) would require only $\sum_{j=0}^8 \binom{18}{j} = 106,762$ combinations.

A FORTRAN computer code, NX, has been written for efficiently computing the probability of at least, exactly or both cases as expressed in Eq. (2). This code, which takes advantage of the complementary logic condition where applicable, is given in Appendix A. In addition, a similar code in BASIC is also given in Appendix B for implementation on mini-computers utilizing this language.

The following sample problem was run using the FORTRAN code

given in Appendix A:

Compute the probability of exactly 5, exactly 6, exactly 7 . . . exactly 13 successes out of 13 trials. The individual probabilities p_i are as follows:

$p_1 = 0.30$, $p_2 = 0.16$, $p_3 = 0.22$, $p_4 = 0.28$, $p_5 = 0.10$, $p_6 = 0.39$,
 $p_7 = 0.33$, $p_8 = 0.51$, $p_9 = 0.44$, $p_{10} = 0.51$, $p_{11} = 0.68$,
 $p_{12} = 0.73$, $p_{13} = 0.94$.

The code produced the following solution:

Probability of exactly 5 successes out of 13 trials = 0.237
Probability of exactly 6 successes out of 13 trials = 0.239
Probability of exactly 7 successes out of 13 trials = 0.165
Probability of exactly 8 successes out of 13 trials = 0.079
Probability of exactly 9 successes out of 13 trials = 0.026
Probability of exactly 10 successes out of 13 trials = 0.006
Probability of exactly 11 successes out of 13 trials = 0.001
Probability of exactly 12 successes out of 13 trials = 0.000
Probability of exactly 13 successes out of 13 trials = 0.000
Probability of at least 5 successes out of 13 trials = 0.754

This example required 7,099 product combinations to be formed and computed. Run times were 0.6 second and 2.0 seconds on a CDC Cyber 76 and a CDC Cyber 173, respectively. Using the code listing in Appendix B, the identical results were obtained from a WANG 2200-T mini-computer with a run time of approximately 83 minutes and from a WANG 2200-VP with a run time of 4.5 minutes.

For further information on the subject, the reader is referred to Feller, William, *"An Introduction to Probability Theory and It's Applications"*, New York, NY: John Wiley & Sons, 1968.

III. CONCLUSIONS

A general expression is presented for computing the probability of X kills (successes) out of N trials, with unequal or equal individual probability of kill (success) values. Computer codes in both FORTRAN and BASIC are presented which yield the desired solutions using appropriate main-frame or mini-computers.

IV. ACKNOWLEDGEMENT

The authors would like to express their appreciation to Mr. Larry Losie for his invaluable assistance for formulating the general expressions given in Eqs. (2), (3), and (4).

APPENDIX A - FORTRAN Code Listing

Input Instructions for FORTRAN version of NX code

Card #	Format Type	Description
1	2I5	Number of trials N, number of successes X
2	16F5.1	N probabilities of success
3	I5	Code to select method of computation; = 1 to compute <u>exactly</u> case = 2 to compute both <u>at least</u> and <u>exactly</u> case = 3 to compute <u>at least</u> case

```

PROGRAM NX (INPUT,OUTPUT,TAPES=INPUT,TAPE6=OUTPUT)
DIMENSION I3(201), P(200), A(3), Z(2)
INTEGER X, R3
1 Z(1)=5HEVENT
  IZ=1
  Z(2)=6HEVENTS
  A(1)=7HEXACTLY
  A(3)=8HAT LEAST
  A(2)=10HBOTH TYPES
  READ (5,16) M,X
  IF (X.EQ.1) GO TO 2
  IZ=2
2 IF (M.GE.X) GO TO 3
  STOP
3 READ (5,17) (P(I),I=1,M)
  N=0
  DO 4 I=1,M
    IF (P(I).EQ.0.) GO TO 4
    N=N+1
    P(N)=P(I)
4 CONTINUE
  IF (X.GT.N) GO TO 15
  T1=M-X
  IF (T1.NE.0.) GO TO 5
  T1=1.
5 CONTINUE
  READ (5,16) R3
  GO TO (6,7,11), R3
6 N1=X
  CALL D (N,N1,P,S)
  WRITE (6,18) X,Z(IZ),M,S
  STOP
7 S2=0.
  DO 9 N1=X,N
    CALL D (N,N1,P,S)
    IF (N1.EQ.1) GO TO 8
    IZ=2
8 WRITE (6,19) N1,Z(IZ),M,S
9 S2=S2+S
  IF (X.EQ.1) GO TO 10
  IZ=2
10 WRITE (6,20) X,Z(IZ),M,S2
  STOP
11 S2=0.

```



```

      IF (2*X.LT.N) GO TO 13
      DO 12 N1=X,N
      CALL D (N,N1,P,S)
      S2=S2+S
12  WRITE (6,20) X,Z(IZ),M,S2
      STOP
13  DO 14 NN1=1,X$N1=NN1-1
      CALL D (N,N1,P,S)
      S2=S2+S
14  CONTINUE
      SS2=1.-S2
      WRITE (6,20) X,Z(IZ),M,SS2
      STOP
15  WRITE (6,21) X
      STOP

```

C

```

16  FORMAT (2I5)
17  FORMAT (16F5.1)
18  FORMAT (5X,22HPROBABILITY OF EXACTLY,I5,A7,6HOUT OF,I4,1H=,F5.3)
19  FORMAT (5X,22HPROBABILITY OF EXACTLY,I3,A7,6HOUT OF,I5,1H=,F5.3)
20  FORMAT (5X,23HPROBABILITY OF AT LEAST,I3,A7,6HOUT OF,I4,1H=,F5.3)
21  FORMAT (55H PROBABILITY OF THIS OCCURING IS ZERO BECAUSE YOU DO N
      1,16HOT HAVE AT LEAST,F5.0,28H NON-ZERO PROBABILITY VALUES)
      END
      SUBROUTINE D (N,N1,P,S)
      DIMENSION P(200), I3(201)
1   S=0.
      DO 2 I=1,N1
      I3(I)=1
2   CONTINUE
      NN1=N1+1
      DO 3 I=NN1,N
      I3(I)=0
3   CONTINUE
4   A1=1.
      DO 6 I=1,N
      IF (I3(I).EQ.0) GO TO 5
      A1=A1*P(I)
      GO TO 6
5   A1=A1*(1.-P(I))
6   CONTINUE
      S=S+A1
      IF (N.NE.N1) GO TO 7
      RETURN
7   I=0

```

```

8 I=I+1
  IF (I3(N+1-I).GT.0) GO TO 9
  IF (I.NE.N) GO TO 8
  RETURN
9 IF (I.LT.2) GO TO 10
  I4=N+1-I
  I3(I4)=0
  I4=I4+1
  I3(I4)=1
  GO TO 4
10 I9=N
  IF (I3(I9-1).LT.1) GO TO 13
  J=1
11 J=J+1
  IF (I3(I9-J).EQ.0) GO TO 12
  IF (J.NE.N-1) GO TO 11
  STOP
12 I9=I9-J
  IF (J-N1.NE.0) GO TO 13
  RETURN
13 I7=I9-1
  J=0
14 J=J+1
  IF (I3(I9-J).GT.0) GO TO 15
  IF (J.NE.I7) GO TO 14
  RETURN
15 I8=I9-J
  I3(I8)=0
  I8=I8+1
  I3(I8)=1
  IF (J.EQ.1) GO TO 4
  J=0
  N3=0
16 J=J+1
  IF (I3(I8+J).EQ.0) GO TO 17
  N3=N3+1
17 IF (I8+J-N.LT.0) GO TO 16
  L=0
18 L=L+1
  IF (I3(I8+L).NE.0) GO TO 4
  I3(I8+L)=1
  I3(N+1-L)=0
  IF (L.EQ.N3) GO TO 4
  GO TO 18
END

```

APPENDIX B - BASIC Code Listing

```

10 REM NX
20 COM I3(201),P(200),A$(3)60,Z$(4)
30% PROBABILITY OF EVENT ## IS
40% PROBABILITY OF EXACTLY #### OUT OF #### = #.####
50% PROBABILITY OF AT LEAST #### OUT OF #### = #.####
60%##### BEING CALCULATED, PLEASE BE PATIENT
70 Z$(1)="EVENT": Z$(2)="EVENTS": Z$(3) ="COMBINATION IS": Z$(4)="COMB
INATIONS ARE": Z=1: STR(Z$(3),16,1)=HEX(08)
80 PRINT HEX(03)
90 A$(1)="EXACTLY": A$(3)="AT LEAST": A$(2)="BOTH TYPES"
100 PRINT "PROGRAM IS DESIGNED FOR A MAXIMUM OF 200 EVENTS",HEX(0A0A)
110 INPUT "TOTAL NUMBER OF EVENTS",M: IF M<=0 THEN 110: INPUT "NUMB
ER OF EVENTS FOR WHICH YOU WISH TO CALCULATE",X
120 IF X=1 THEN 130: Z=2
130 IF M>X THEN 140: PRINT HEX(0A),"ERROR !!": GOTO 110
140 PRINT HEX(0A): FOR I= 1 TO M
150 PRINTUSING 30,I:INPUT P(I): IF P(I)*(1-P(I))>=0 THEN 160:PRINT HE
X(0C),"ILLEGAL VALUE, TRY AGAIN ": GOTO 150
160 NEXT I
170 PRINT HEX(03)
180 N=0: FOR I = 1 TO M: IF P(I)=0 THEN 190: N=N+1:P(N)=P(I)
190 NEXT I: IF X>N THEN 660
200 DEFFN'0: PRINT HEX(03)
210 PRINT "IF YOU WISH TO COMPUTE THE PROBABILITY OF EXACTLY X EVENT
S OUTOF N EVENTS, KEY IN A 1": PRINT HEX(0A)
220 PRINT "IF YOU WISH TO COMPUTE THE PROBABILITY OF AT LEAST X EVENT
S OUTOF N EVENTS WITH EXACT INDIVIDUAL PROBABILITIES, KEY IN A 2": PRI
NT HEX(0A)
230 PRINT "IF YOU WISH TO COMPUTE THE PROBABILTY OF AT LEAST X EVENT
S OUTOF N EVENTS, KEY IN A 3"
240 PRINT HEX(0A0A)
250 INPUT "YOUR OPTION NUMBER",R3: PRINT HEX(03)
260 ON R3 GOTO 270,300,400:PRINT "ILLEGAL VALUE": GOTO 210
270 X1=X : N1,N2=N: GOSUB '79: PRINTUSING 60,C4,Z$(Z1): PRINT : A=C4
280 N1=X: GOSUB '99: PRINTUSING 290,X,Z$(Z),M,S:STOP
290% PROBABILITY OF EXACTLY #### OUT OF #### = #.####
300 A=0: X1=X: N1,N2=N: GOSUB '69: PRINTUSING 60,A,Z$(Z1): PRINT
310 S2=0: FOR N1=X TO N: GOSUB '99
320 IF N1=1 THEN 330: Z=2
330 PRINTUSING 40,N1,Z$(Z),M,S
340 S2=S2+S: NEXT N1: S=0
350 IF N1=M THEN 370: N1=N1+1
360 PRINTUSING 40,N1,Z$(Z),M,S: GOTO 350
370 Z=1
380 PRINT HEX(0A): IF X=1 THEN 390: Z=2
390 PRINTUSING 50,X,Z$(Z),M,S2:STOP
400 S2=0: IF 2*X<=N THEN 430: X1=X: N1,N2=N: GOSUB '69
410 PRINTUSING 60,A,Z$(Z1):PRINT

```



```

420 FOR N1=X TO N: GOSUB '99: S2=S2+S: NEXT N1: PRINTUSING 50,X,Z$(Z)
,M,S2: STOP
430 A,X1=0: N2=X-1:N1=N: GOSUB '69
440 PRINTUSING 60,A,Z$(Z1):PRINT
450 IF X<>0 THEN 460:S2=0 :GOTO 470
460 FOR N1=0 TO X-1: GOSUB '99: S2=S2+S: NEXT N1
470 PRINTUSING 50,X,Z$(Z),M,1-S2: STOP
480 DEFFN'99: S=0
490 FOR I = 1 TO N1: I3(I)=1: NEXT I
500 FOR I = N1+1 TO N: I3(I)=0: NEXT I
510 A1=1: FOR I = 1 TO N: IF I3(I)=0 THEN 520: A1=A1*P(I): GOTO 530
520 A1=A1*(1-P(I))
530 NEXT I: S=S+A1: IF N<>N1 THEN 540: RETURN
540 I=0
550 I=I+1: IF I3(N+1-I)>0 THEN 560: IF I<>N THEN 550: RETURN
560 IF I<2 THEN 570: I4=N+1-I: I3(I4)=0: I4=I4+1: I3(I4)=1: GOTO 510
570 I9=N: IF I3(I9-1)<1 THEN 600: J=1
580 J=J+1: IF I3(I9-J)<>0 THEN 580
590 I9=I9-J: IF J-N1<>0 THEN 600: RETURN
600 I7=I9-1: J=0
610 J=J+1: IF I3(I9-J)>0 THEN 620: IF J<>I7 THEN 610: RETURN
620 I8=I9-J: I3(I8)=0: I8=I8+1: I3(I8)=1: IF J=1 THEN 510: J,N3=0
630 J=J+1: IF I3(I8+J)=0 THEN 640: N3=N3+1
640 IF I8+J-N<0 THEN 630: L=0
650 L=L+1: IF I3(I8+L)<>0 THEN 510: I3(I8+L)=1: I3(N+1-L)=0: IF L=N3 T
HEN 510: GOTO 650
660 PRINT "PROBABILITY OF THIS OCCURING IS ZERO BECAUSE YOU DO NOT HA
VE AT LEAST";X;" NON-ZERO PROBABILITY VALUES !": STOP
670 DEFFN'69: A=0: IF X1<>0 THEN 680: X1,A=1: IF X1<N2 THEN 680: IF N2
<=0 THEN 710: A=A+N: GOTO 710
680 IF X1<>1 THEN 690: A=A+N: X1=2: IF X1<N1 THEN 690: GOTO 710
690 FOR J=X1 TO N2: GOSUB '79: A=A+C4: X1=X1+1
700 NEXT J
710 Z1=4: IF A<> 1 THEN 720: Z1=3
720 RETURN
730 DEFFN'79: C1,C2,C3=1: IF N1<2 THEN 740: FOR I=2 TO N1: C1=C1*I: NE
XT I
740 IF N1-X1<2 THEN 760
750 FOR I=2 TO N1-X1: C2=C2*I: NEXT I
760 IF X1<2 THEN 780
770 FOR I=2 TO X1: C3=C3*I: NEXT I
780 C4=C1/(C2*C3)
790 Z1=4: IF C4<> 1 THEN 800: Z1=3
800 RETURN

```

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
12	Commander Defense Documentation Center ATTN: DDC-DDA Cameron Station Alexandria, VA 22314	1	Commander US Army Materiel Development and Readiness Command ATTN: DRCMA 5001 Eisenhower Avenue Alexandria, VA 22333
1	Office Secretary of Defense ATTN: Mr. R. Thorkildsen The Pentagon Washington, DC 20301	1	Commander US Army Materiel Development and Readiness Command ATTN: DRCLDC, T. Shirata 5001 Eisenhower Avenue Alexandria, VA 22333
1	Director Defense Advanced Research Projects Agency 1400 Wilson Boulevard Arlington, VA 22209	1	Commander US Army Materiel Development and Readiness Command ATTN: DRCGS-L 5001 Eisenhower Avenue Alexandria, VA 22333
2	Director Institute for Defense Analyses ATTN: Research & Engineering Division Technical Library 400 Army Navy Drive Arlington, VA 22202	1	Commander US Army Materiel Development and Readiness Command ATTN: DRCPA-S 5001 Eisenhower Avenue Alexandria, VA 22333
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCDMD-ST 5001 Eisenhower Avenue Alexandria, VA 22333	1	Commander US Army Materiel Development and Readiness Command ATTN: DRCBSI 5001 Eisenhower Avenue Alexandria, VA 22333
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCCP 5001 Eisenhower Avenue Alexandria, VA 22333	1	Commander US Army Materiel Development and Readiness Command ATTN: DRC-BWI 5001 Eisenhower Avenue Alexandria, VA 22333
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCDL 5001 Eisenhower Avenue Alexandria, VA 22333		

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCMDM 5001 Eisenhower Avenue Alexandria, VA 22333	2	Commander US Army Electronics Research and Development Command Technical Support Activity ATTN: DELSD-L DELS-EM, C. Goldy Fort Monmouth, NJ 07703
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCQA 5001 Eisenhower Avenue Alexandria, VA 22333	1	Commander US Army Communications Rsch and Development Command ATTN: DRDCO-PPA-SA Fort Monmouth, NJ 07703
1	Commander US Army Aviation Research and Development Command ATTN: DRS-VE 12th and Spruce Streets St. Louis, MO 63166	2	Commander US Army Communications/ADP Laboratory ATTN: DRSEL-NL-RH, Dr. F. Reder Mr. John Walker Fort Monmouth, NJ 07703
1	Director US Army Air Mobility Research and Development Laboratory ATTN: SAVDL-AS, Dr. R.S. Dunn Ames Research Center Moffett Field, CA 94035	1	Commander Combat Surveillance and Target Acquisition Lab ATTN: DRSEL-CT-D, Mr. Vincent Kublin Fort Monmouth, NJ 07703
1	Director Applied Technology Laboratory US Army Research & Technology Laboratories (AVRADCOM) ATTN: DAVDL-EU-MOS (VAT) Fort Eustis, VA 23604	1	Commander US Army Night Vision Lab ATTN: DRSEL-NV-VI, Ms. Lou Ann Obert Fort Belvoir, VA 22060
1	Commander US Army Mobility Equipment Command 4300 Goodfellow Boulevard St. Louis, MO 63120	2	Commander US Army Missile Research and Development Command ATTN: DRDMI-R DRDMI-C Redstone Arsenal, AL 35809

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commander US Army Missile Materiel Readiness Command ATTN: DRSMI-AOM Redstone Arsenal, AL 35809	1	Director US Army Rock Island Arsenal Rock Island, IL 61299
1	Commander US Army Tank Automotive Research & Development Cmd ATTN: DRDTA-UL Warren, MI 48090	2	Commander US Army Watervliet Arsenal ATTN: DRDAR-LCB-TL, Tech Lib Watervliet, NY 12189
1	Commander US Army Mobility Equipment Research & Development Cmd ATTN: DRXSB-O, Jerry Dean Fort Belvoir, VA 22060	1	Director US Army Materials and Mechanics Research Center ATTN: DRXMR-ER, F. Mascianica Watertown, MA 02172
5	Commander US Army Armament Research and Development Command ATTN: DRDAR-LCS, J. Salomon S. Einbinder J. Killen DRDAR-LC, V. Guadagno DRDAR-LCE-T, Ted Boxer Dover, NJ 07801	1	Commander US Army Natick Research and Development Command ATTN: DRXRE, Dr. H. Sieling Natick, MA 01762
6	Commander US Army Armament Research and Development Command ATTN: DRDAR-TSS (2 cys) DRDAR-SC Mr. E. Buchanan DRDAR-SER, CPT Lewis DRDAR-SC-NM, G. Gaydos Dover, NJ 07801	4	Commander US Army Training and Doctrine Command ATTN: ATCD-DA ATCD-C ATCD-CM-I ATCD-CM-A Fort Monroe, VA 23651
2	Commander US Army Armament Materiel Readiness Command ATTN: DRSAR-SAL, Roger Powell DRDAR-LEP-L, Tech Lib Rock Island, IL 61299	2	Director US Army TRADOC Systems Analysis Activity ATTN: ATAA-SL, Tech Lib ATAA-T White Sands Missile Range NM 88002
		3	Commander US Army Armor Center ATTN: ATZK-CD-SD ATZK-CD-CA ATZK-DCD Fort Knox, KY 40121

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commander Combined Arms Center ATTN: ATZL-TDA-AD Fort Leavenworth, KS 66027	2	Manager Defense Logistics Studies Information Exchange US Army Logistics Management Center ATTN: Mr. L. Scarbrough Fort Lee, VA 23801
2	Commandant US Army Field Artillery Ctr ATTN: ATSF-CA ATSF-CD-W, L. Minton Fort Sill, OK 73505	1	HQDA (DAMA-ZA) Washington, DC 20310
1	Commander US Army Infantry Center ATTN: ATZB-CD-CS Fort Benning, GA 31905	1	HQDA (DAMO-ZA) Washington, DC 20310
1	Commander US Army Combined Arms Combat Developments Activity ATTN: ATCA-CFD Fort Leavenworth, KS 66027	1	HQDA (DAMO-RQD) Washington, DC 20310
1	Commandant US Army Armor School Fort Knox, KY 40121	1	Commandant Command and General Staff College ATTN: COL Boyd, Department of Tactics Fort Leavenworth, KS 66027
1	Commander US Army Engineer School ATTN: ATSE-CDC, Mr. Thomas Montgomery Fort Belvoir, VA 22060	1	Commander Concepts Analysis Agency 8120 Woodmont Avenue Bethesda, MD 20014
1	Commander US Army Field Artillery School ATTN: ATSF-G-OP Fort Sill, OK 73505	1	Director US Army Engineer Waterways Experiment Station ATTN: Mr. David Coltharp P. O. Box 631 Vicksburg, MS 39180
1	Commandant US Army Infantry School ATTN: ATSH-B Fort Benning, GA 31905	1	Commander 7th Infantry Division and Fort Ord Fort Ord, CA 93941
		1	Commander US Army Europe APO New York 09403


DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Center for Naval Analysis 1401 Wilson Boulevard Arlington, VA 22209	1	Commander Naval Surface Weapons Center Silver Spring, MD 20910
1	Chief of Naval Materiel ATTN: MAT-0324 Department of the Navy Washington, DC 20350	2	Commander Naval Weapons Center ATTN: Code 31701, Mel Keith Technical Library China Lake, CA 93555
1	Chief of Naval Operations ATTN: OP-721 Department of the Navy Washington, DC 20350	1	Commander Naval Research Laboratory Washington, DC 20375
1	Office of Naval Research Department of the Navy Washington, DC 20360	1	Superintendent Naval Postgraduate School ATTN: Technical Library Monterey, CA 93940
1	Superintendent US Naval Academy ATTN: Library Annapolis, MD 21402	1	Commander Naval Ordnance Station Indian Head, MD 20640
1	President Naval War College ATTN: Library Newport, RI 02840	2	Commander Marine Corps Development and Education Command ATTN: Plans and Studies Division War Games Division Quantico, VA 22134
1	Commander David W. Taylor Naval Ship Research & Development Ctr ATTN: Dr. Fred Fisch, Code 1740.2 Bethesda, MD 20084	1	Commander US Marine Corps ATTN: Code OTTU-12 Washington, DC 20380
2	Commander Naval Surface Weapons Center ATTN: Code DG-20, Morley Shamblen Code DG-11, Dr. T. Goswick Dahlgren, VA 22448	1	Weapon System Analysis Quantico Marine Corps Quantico, VA 22134
		1	AFSC Andrews AFB Washington, DC 20331

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
3	AFATL/DLYW (W. D. Thomas; J. Flint; M. Adams) Eglin AFB, FL 32542	1	RAND Corporation ATTN: Mr. Roger Snow 1700 Main Street Santa Monica, CA 90406
1	AFWL/WLDC Kirtland AFB, NM 87117	1	Oklahoma State University ATTN: G. Spradling P. O. Box 1925 Eglin AFB, FL 32542
1	National Bureau of Standards ATTN: Applied Mathematics Department Washington, DC 20234	1	University of Denver ATTN: R. F. Recht Denver Research Institute Denver, CO 80210
3	Falcon R&D Company ATTN: W. J. Douglass, Jr. J. Habert J. Burk 696 Fairmount Avenue Baltimore, MD 21204		<u>Aberdeen Proving Ground</u> Dir, USAMSAA ATTN: DRXSY-G, J. Kramar DRXSY-J, J. Blomquist DRXSY-GI, G. Holloway DRXSY-T, A. Groves DRXSY-AD, H. Peaker DRXSY-MP, H. Cohen Cdr, USATECOM ATTN: DRSTE-SG-H Dir, USAMTD ATTN: D. Gross Dir, USAHEL Dir, CSL/ARRADCOM, EA
1	Falcon R&D Company ATTN: J. A. Keller 1225 South Huron Street Denver, CO 80223		

**END
DATE
FILMED**



AD-A066 120 ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND ABERD--ETC F/G 19/4
A GENERALIZED METHOD FOR COMPUTING THE PROBABILITY OF KILLING X--ETC(U)
JAN 79 M B DANISH, J T HUNDLEY
UNCLASSIFIED ARBRL-MR-02890 SBIE-AD-E430 192 NL

1 OF 2
AD
A066120



SUPPLEMENTARY
INFORMATION




END
DATE
FILMED
10-80
DTIC

2 OF 2

AD.

A066120



SUPPLEMENTARY

INFORMATION



DEPARTMENT OF THE ARMY
U. S. ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND
U. S. ARMY BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND 21005

DRDAR-BLV

12 June 1980

SUBJECT: Memorandum Report ARBRL-MR-02890, Jan 1979, by M. B. Danish
and J. T. Hundley

SEE DISTRIBUTION

1. The subject report contains two computer programs. The authors have learned of an algorithm which accomplishes the same results, but much faster, as those obtained from the codes given in subject report. The algorithm was published in a formal report at the Naval Surface Weapons Center, Dahlgren, VA in 1975 but distribution was at that facility only, hence the information of importance was not known to these authors at BRL until after ARBRL-MR-02890 was published. It should be noted that the original algorithms used in the BRL version were reported on at BRL in May 1974.
2. In the interest of computing efficiency, we have utilized the algorithm developed by M. A. Thomas and A. E. Taub at the Naval Surface Weapons Center and prepared a FORTRAN and BASIC version to replace those versions originally appearing in ARBRL-MR-02890. The Thomas/Taub algorithm is extremely efficient and can be considered to be orders of magnitude faster than the BRL versions.
3. The reference report is NSWC/DL TN-DK-25/75, Binomial Trials with Variable Probabilities, August 1975, by M. A. Thomas and A. E. Taub.

2 Incls
as

H. W. Egge for B. F. Armendt

BRADSHAW F. ARMENDT
Chief, Ground Mobility & Firepower Branch
Vulnerability/Lethality Division

80 6 19 120

```

PROGRAM NX(INPUT,OUTPUT,TAPE5=INPUT,TAPE6=OUTPUT)
COMMON T(20,21),R(20)
READ (5,900)K1,N9
IF(K1.LE.0)GOTO 330
READ (5,901)(R(I9),I9=1,K1)
T(1,1)=1-R(1)
T(1,2)=R(1)
DO 230 I9=2,K1
K9=I9+1
DO 220 J9=1,K9
IF (J9.NE.1) GOTO 180
T(I9,1)=T(I9-1,1)*(1-R(I9))
GOTO 220
180 IF(I9.EQ.K9) GOTO 210
T(I9,J9)=T(I9-1,J9-1)*R(I9)+T(I9-1,J9)*(1-R(I9))
GOTO 220
210 T(I9,J9)=T(I9-1,J9-1)*R(J9)
220 CONTINUE
230 CONTINUE
I9=K1
S5=0
IC1=N9+1
IC2=K1+1
DO 300 J9=IC1,IC2
WRITE(6,902)J9-1,T(I9,J9)
S5=S5+T(I9,J9)
300 CONTINUE
WRITE(6,903)N9,S5
330 STOP
900 FORMAT(2I10)
901 FORMAT(10F10.5)
902 FORMAT(' ', 'PROB OF EXACTLY ',I4,5X,F11.7)
903 FORMAT('0', 'PROB OF AT LEAST ',I4,10X,F10.8)
END

```

```

10 COM R(20): DIM T(20,21)
20 PRINT HEX(03)
30 INPUT "TOTAL NUMBER OF EVENTS",K1: IF K1<=0 THEN 20
40 INPUT "NUMBER OF EVENTS FOR WHICH YOU WISH TO CALCULATE",N9
50 PRINT HEX(0A)
60 FOR I9=1 TO K1:PRINT "P(";I9;")";: INPUT R(I9):NEXT I9
70 PRINT HEX(03)
80 PRINT "PLEASE BE PATIENT AS I AM COMPUTING FOR YOU"
90 T(1,1)=1-R(1)
100 T(1,2)=R(1)
110 FOR I9=2 TO K1
120 K9=I9+1
130 FOR J9=1 TO K9
140 IF J9<>1 THEN 160
150 T(I9,1)=T(I9-1,1)*(1-R(I9)):GOTO 200
160 IF I9=K9 THEN 190
170 T(I9,J9)=T(I9-1,J9-1)*R(I9)+T(I9-1,J9)*(1-R(I9))
180 GOTO 200
190 T(I9,J9)=T(I9-1,J9-1)*R(J9)
200 NEXT J9
210 NEXT I9
220 I9=K1
230 PRINT HEX(03): S5=0
240 FOR J9= N9+1 TO K1+1
250 PRINTUSING 270, J9-1,T(I9,J9)
260 S5=S5+T(I9,J9)
270 % PROB OF EXACTLY **** = -***.***** -***.*****
280 NEXT J9
290 PRINT HEX(0A)
300 PRINTUSING 320,N9,S5
310 STOP
320% PROB OF AT LEAST *** = *.*****

```